



D.T. SYSTEMS, INC.

**SUPER PRO™ SERIES
DUMMY
LAUNCHER**

OWNER'S MANUAL

TABLE OF CONTENTS

• Introduction.....	4
• Important Caution.....	4
• Features.....	5
• Safety.....	5
• Parts and Functions.....	6
• Loading.....	7
• Firing.....	7
• Unloading.....	8
• Maintenance.....	9
• Warranty.....	10
• Contact Information.....	12

Congratulations and Thank you for purchasing our Super Pro™ Series Dummy Launcher. This Launcher is the Most Technologically Advanced Dummy Launcher on the market today.

The D.T. Systems Super Pro™ Dummy Launcher is an excellent tool for teaching and reinforcing the hunting situation of tying together the sound of a bang with the marking of a bird in the sky. It is great for both long and short retrieves by simply adjusting the flight angle and the strength of the .22 caliber blank launching load. The Launcher's solid aluminum frame construction means no lost training time from broken plastic components like on other brands. Our launcher is easy to use, clean and maintain. Don't let that old football shoulder stop you from throwing dummies for your best friend. Let the D.T. Systems Super Pro™ Dummy Launcher do all the work.

Hunting Season is very short and repetition is very important in the training process. With this Launcher you can train with your dog every day to make them the best that they can be.

*****IMPORTANT*****

Please read this owners manual entirely before attempting to operate this unit. Should you have any questions about our collars or their operation please contact our Customer Service department.

(See last page for contact information).

**THIS UNIT IS NOT A TOY!
KEEP OUT OF REACH OF CHILDREN AT ALL
TIMES!**

FEATURES


Every D.T. Systems' Super Pro™ Series Dummy Launcher Features:

- Rugged Solid Aluminum Frame construction
- Cast Aluminum to Resist Rusting
- Durable Stainless Steel Launcher Barrel
- Full Grip Aluminum Locking Level for Safety
- Extra Strong Hinge System
- Convenient Built-In Shell Extractor
- Thick, Dense, Shock Absorbing Recoil Pad
- Wide Nylon Comfort Grip Handle Sleeve
- Self-Contained Firing Pin Mechanism for Easy Cleaning and Maintenance

SAFETY

- This product can be extremely hazardous if not used properly. While it is not a firearm the same caution and safety procedures should always be followed as if it were.
- Never point the Launcher at anyone.
- Follow all operating instructions and never modify the unit.
- Always wear safety glasses and hearing protection when operating.
- The Super Pro™ Dummy Launcher does recoil, so always hold with a very firm grip.
- We recommend wearing leather gloves and practicing with light charges before going to medium load.

PARTS & FUNCTIONS



LOADING

**Use only Green or Yellow 22 Cal.
Waded or Crimped Blank Cartridges.**

Green = Light to Moderate Recoil


Yellow = Firm Recoil

1. Lift up Locking Lever
2. Open Launcher
3. Insert desired power blank cartridge into chamber
4. Close Launcher
5. Return Locking Lever to original closed position.
6. Rotate Launcher so that the slot in the Recoil Pad and the Locking Lever are facing away from you


FIRING

Never pull and release the Firing Rod without a blank cartridge in the chamber. This is known as “Dry Firing” and can severely damage the chamber and make cartridge insertion and removal very difficult. Damage caused by Dry Firing is not covered under the warranty.

1. Grasp Launcher firmly in one hand. Always place the heel of your hand against to Recoil Pad (Fig.1) to avoid injury caused by the recoil. **Never place your thumb against the pad (Fig.2)**



FIRING CONT.




2. Point Launcher in the Direction you wish to send the dummy (different power charges and different angles will produce many varied ranges of dummy launch)
3. Hold Launcher away from body.
4. Pull Firing Rod HALF way out and release. **Never pull the Rod all the way out** as this might cause damage and make the empty cartridge difficult to remove
5. If blank cartridge does not fire or misfires remove it and replace with a new cartridge. **Never reuse**

NOTE

Clean the Launcher in between each use with a .22 Cal.
Cleaning brush and gun solvent

UNLOADING


1. Open the Launcher
2. Pull back to fullest extent
3. The Built-In Shell Extractor will push the shell out
4. Carefully remove the shell



MAINTENANCE

Properly cleaning and maintaining your Super Pro™ Dummy Launcher is essential to keeping it in good working order, and is required for Warranty compliance.

- After each use, clean the chamber with a .22 Cal. Stainless Steel cleaning brush and gun solvent (if this is not done powder residue will build up which will make insertion and removal of blank cartridges very difficult.
- Wipe down entire Launcher thoroughly after each use.
- Remove the Firing Pin Mechanism by unscrewing from the Launcher.



- Clean and lightly oil the Firing Pin Mechanism, Shell Extractor, and the Hinge to keep the Launcher in good working order. **Never use oil on the main body.**
- Keep metal tubes in Dummies free from dirt, water, snow etc. Dirty tubes will severely affect the range of the Dummy. Dummy tubes can be cleaned with a 12 gauge cleaning brush.

**Do not leave the Dummy on the Launcher
when not in use.**

WARRANTY

What is covered:

D.T. Systems Warranty is one of the best offered in the industry, and is free to participating U.S. customers.

D.T. Systems covers all of our products to be free from manufacturing defects. This warranty goes into effect on the date of original purchase and expires one year from that date.

What is not covered:

- Our warranty does not cover parts that malfunction due to abuse, misuse, improper maintenance, or incorrect handling.
- Damage from dogs chewing or wear and tear from excessive field use is not covered.
- Our warranty does not cover the cost of shipping the unit to our repair center. Return ground shipping (inside the continental United States) to the customer is covered. However, next day or second day air shipping is not covered and if requested will be charged.

LEGAL NOTICE

Proper Use and Maintenance of the Super Pro™ Dummy Launcher is the responsibility of the buyer. D.T. Systems, Inc. and its representatives are in No Way liable for injuries or damages resulting from improper use. Buyer/User of said devices agrees to hold D.T. Systems and its representatives harmless from and indemnify them from any and all claims, damages, demands, penalties, suits or causes of actions whatsoever brought by any person or entity as a result of the use or ownership of the Super Pro™ Dummy Launcher.



D.T. Systems, Inc.

2872 Walnut Hill Lane

Dallas, Texas 75229

Tel: (214) 350-9446, (888) LUV-U-DOG

Fax: (214) 350-7847

Website: <http://www.dtsystems.com>

E-mail: customerservice@dtsystems.com